

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 04/15/2015

SECTION 1: Identification	
1.1. Identification	. Mestare
Product form	: Mixture
Product name	: Pine Disinfectant
Product code	: 155-5120
	ance or mixture and uses advised against
Use of the substance/mixture	: Disinfectant
1.3. Details of the supplier of the safety d	ata sheet
American Cleaning Solutions 39-30 Review Avenue Long Island City, NY 11101 T (718) 392-8080	
1.4. Emergency telephone number	
Emergency number	: INFOTRAC: 800-535-5053
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or mi	xture
Classification (GHS-US) Flam. Liq. 3 H226 - Flammable liquid and vapo Carc. 1A H350 - May cause cancer Full text of H-phrases: see section 16	Dur
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	
Signal word (GHS-US)	GHS02 GHS08
Hazard statements (GHS-US)	: Danger : H226 - Flammable liquid and vapor
Tiazaru statements (GF15-05)	H350 - May cause cancer
Precautionary statements (GHS-US)	 P201 - Obtain special instructions before use P202 - Do not handle until all safety precautions have been read and understood P210 - Keep away from heat/sparks/open flames} No smoking P233 - Keep container tightly closed P240 - Ground/bond container and receiving equipment P241 - Use explosion-proof electrical/ventilating/lighting equipment P242 - Use only non-sparking tools P243 - Take precautionary measures against static discharge P280 - Wear protective gloves/eye protection/face protection P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P308+P313 - If exposed or concerned: Get medical advice/attention P370+P378 - In case of fire: Use appropriate media to extinguish P403+P235 - Store in a well-ventilated place. Keep cool P405 - Store locked up P501 - Dispose of contents/container in accordance with local/regional/national/international regulations
2.3. Other hazards	
No additional information available	

2.4. Unknown acute toxicity (GHS US)

Not applicable

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/information	on on ingredients		
3.1. Substance			
Not applicable			
3.2. Mixture			
Name	Product identifier	%	Classification (GHS-US)
2-propanol	(CAS No) 67-63-0	1 - 5	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336
Ethanol, aqueous solutions, F.P.<21°C	(CAS No) 64-17-5	0.1235 - 0.3705	Flam. Liq. 2, H225 Carc. 1A, H350 Aquatic Acute 3, H402

Full text of H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow victim to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effects	s, both acute and delayed
Symptoms/injuries after inhalation	: May cause cancer by inhalation.
4.3. Indication of any immediate medical a	attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the subs	stance or mixture
Fire hazard	: Flammable liquid and vapor.
Explosion hazard	: May form flammable/explosive vapor-air mixture.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release measure	ures
6.1. Personal precautions, protective equi	ipment and emergency procedures
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Notify	authorities if liquid enters sewers or public waters.
6.3. Methods and material for containment	t and cleaning up
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4. Reference to other sections	
See Heading 8. Exposure controls and personal p	rotection.
01/15/2016	EN (English US) 2/7

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
7.2. Conditions for safe storage, including	ng any incompatibilities
Technical measures	: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment.
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from heat, hot surfaces, sparks, open flame and other ignition sources. No smoking. Keep container tightly closed.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters		
2-propanol (67-63-	D)	
ACGIH	ACGIH TWA (ppm)	200 ppm (2-propanol; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
ACGIH	ACGIH STEL (ppm)	400 ppm (2-propanol; USA; Short time value; TLV - Adopted Value)
ACGIH	Remark (ACGIH)	Eye & URT irr; CNS impair
OSHA	OSHA PEL (TWA) (mg/m ³)	980 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	400 ppm

: Avoid all unnecessary exposure.
: Wear protective gloves/eye protection/face protection protective gloves.
: Chemical goggles or safety glasses.
: Wear appropriate mask.
: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	chemical properties	
Physical state	: Liquid	
Color	: Rust	
Odor	: Pine	
Odor threshold	: No data available	
рН	: 7.4 - 8	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: 212 - 220 °F	
Flash point	: 110 °F	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: No data available	
Explosion limits	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
Vapor pressure	: No data available	
Relative density	: 0.994	
01/15/2016	EN (English LIS)	3/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative vapor density at 20 °C	: Same as water
Solubility	 Soluble in water. Water: Solubility in water of component(s) of the mixture : •: •: •: •:
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information

No additional information available

SECT	ION 10: Stability and reactivity		
10.1.	Reactivity		
No add	No additional information available		
10.2.	Chemical stability		
Stable u	under normal conditions. Flammable liquid and vapor. May form flammable/explosive vapor-air mixture.		
10.3.	Possibility of hazardous reactions		
Not esta	ablished.		
10.4.	Conditions to avoid		
Direct s	unlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.		
10.5.	Incompatible materials		
Strong	acids. Strong bases.		
10.6.	Hazardous decomposition products		

Fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information 11.1. Information on toxicological effects

Acute toxicity

: Not classified

2-propanol (67-63-0)	
LD50 dermal rabbit	12870 mg/kg (Rabbit; Experimental value; Equivalent or similar to OECD 402; 16.4; Rabbit)
LC50 inhalation rat (mg/l)	73 mg/l/4h (Rat)
ATE US (dermal)	12870.000 mg/kg body weight
ATE US (vapors)	73.000 mg/l/4h
ATE US (dust, mist)	73.000 mg/l/4h
Ethanol, aqueous solutions, F.P.<21°	C (64-17-5)
LD50 oral rat	> 7060 mg/kg (Rat)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)
LC50 inhalation rat (mg/l)	> 20 mg/l/4h (Rat)
Skin corrosion/irritation	: Not classified
	рН: 7.4 - 8
Serious eye damage/irritation	: Not classified
	pH: 7.4 - 8
Respiratory or skin sensitization	Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: May cause cancer.
2-propanol (67-63-0)	
IARC group	3 - Not classifiable
Ethanol, aqueous solutions, F.P.<21°	C (64-17-5)
IARC group	1 - Carcinogenic to humans

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated	: Not classified
exposure)	
Aspiration hazard	: Not classified
Aspiration nazaru	
Potential Adverse human health effects and	: Based on available data, the classification criteria are not met.
symptoms	
Symptoms/injuries after inhalation	: May cause cancer by inhalation.

SECTION 12: Ecological information

12.1. Toxicity

2-propanol (67-63-0)		
EC50 Daphnia 1	10000 mg/l (48 h; Daphnia magna)	
LC50 fish 2	9640 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Pimephales promelas; Flow- through system; Fresh water; Experimental value)	
EC50 Daphnia 2	13299 mg/l (EC50; Other; 48 h; Daphnia magna)	
Threshold limit algae 1	> 1000 mg/l (EC50; UBA; 72 h; Scenedesmus subspicatus)	
Ethanol, aqueous solutions, F.P.<21°C (64-17-5)		
EC50 Daphnia 1	9300 mg/l (EC50; 48 h)	
LC50 fish 2	13.000 mg/l (LC50; 96 h)	

12.2. Persistence and degradability

Pine Disinfectant		
Persistence and degradability	Not established.	
2-propanol (67-63-0)		
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. No (test)data on mobility of the substance available.	
Biochemical oxygen demand (BOD)	1.19 g O₂/g substance	
Chemical oxygen demand (COD)	2.23 g O₂/g substance	
ThOD	2.40 g O₂/g substance	
Ethanol, aqueous solutions, F.P.<21°C (64-17-5)		
Persistence and degradability	Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	0.8 - 0.97 g O₂/g substance	
Chemical oxygen demand (COD)	1.70 g O₂/g substance	

2.10 g O₂/g substance

0.43

BOD (% of ThOD)

12.3. Bioaccumulative potential		
Pine Disinfectant		
Bioaccumulative potential Not established.		
2-propanol (67-63-0)		
Log Pow	0.05 (Weight of evidence approach; Other; 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
Ethanol, aqueous solutions, F.P.<21°C (64-17-5)		
Log Pow	-0.32	
Bioaccumulative potential	Bioaccumulation: not applicable.	
12.4. Mobility in soil		
2-propanol (67-63-0)		
Surface tension	0.021 N/m (25 °C)	

12.5. Other adverse effects

ThOD

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Effect on the global warming	No known ecological damage caused by this product.Avoid release to the environment.	
Other information		
SECTION 13: Disposal considera	itions	
3.1. Waste treatment methods		
Vaste disposal recommendations	 Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/regional/national/international regulations. 	
Additional information	: Handle empty containers with care because residual vapors are flammable.	
I		
Ecology - waste materials	: Avoid release to the environment.	
Ecology - waste materials SECTION 14: Transport informat Department of Transportation (DOT) n accordance with DOT Not regulated for transport		
SECTION 14: Transport informat Department of Transportation (DOT) n accordance with DOT		

No additional information available

Air transport

No additional information available

5.1. US Fed	al regulations	
2-propanol	7-63-0)	
Listed on the	Inited States TSCA (Toxic Substances Control Act) inventory	
Listed on Llr	ed States SARA Section 313	

15.2. International regulations

CANADA No additional information available

EU-Regulations No additional information available

National regulations

No additional information available

15.3. US State regulations

No additional information available

SECTION 16: Other information	
Revision date	: 04/15/2015
Other information	: None.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:			
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3		
Carc. 1A	Carcinogenicity Category 1A		
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A		
Flam. Liq. 2	Flammable liquids Category 2		
Flam. Liq. 3	Flammable liquids Category 3		
STOT SE 3	Specific target organ toxicity (single exposure) Category 3		
H225	Highly flammable liquid and vapor		
H226	Flammable liquid and vapor		
H319	Causes serious eye irritation		
H336	May cause drowsiness or dizziness		
H350	May cause cancer		
H402	Harmful to aquatic life		

HMIS III Rating	
Health	: 1 Slight Hazard - Irritation or minor reversible injury possible
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Personal Protection	: B
	B - Safety glasses, Gloves

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product